

LANOTEC® Product Data Sheet

CHAIN LUBRICANT

Lanolin based multi-purpose chain lubricant that penetrates chain links and keeps them lubricated to extend life. The ultimate biodegradable, non-toxic and non-flammable solution for bicycle, motorcycle and machinery chains.



Features

- Lubricates
- Penetrates
- Resistant to acids and salts
- Non conductive to 70kV
- Resists wash off
- Non flammable
- Biodegradable

Contents

Lanolin (a natural product), blended with an evaporative carrier to enable ease of application and penetration.

Usage Examples

- O-Ring & X-Ring safe
- Protects bicycle/motorcycle/industrial chains and metal surfaces from corrosion
- Protects threads
- Penetrates and frees up rusted tools, nuts/bolts
- Stops squeaks, lubricates door hinges, trolley/bike wheels, frees up locks
- Repels moisture while preventing water ingress
- Removes grease, oil and exhaust carbon
- Protects tools and metal surfaces from corrosion
- Preserves wooden handles on garden tools
- Lubricates zips on camping equipment
- Non-Toxic
- Contains no silicone
- Lubricates and protects power tools

Preparation

- Best applied to dry, clean surfaces

Application

- Shake container to ensure product is mixed correctly. Colder climates will require extra agitation
- Chain Lubricant can be applied via spray, brush or roller
- Allow approximately one hour before any equipment is subject to water

Storage & Transport

- Aerosols classified as Dangerous Goods (pressurised container, non-flammable) for transport and storage (UN 1950; DG 2.2 2YE)
- All other sizes are classified as NON DG
- Keep in cool, dry, well ventilated place
- Keep out of reach of children

Note: This product has been classified as supplied. When used as directed, and the volatile substance have been completely evaporated, the residue is non hazardous (non combustible).

Always read entire label before using product

For safe handling of this product, please consult the Safety Data Sheet (SDS)
Lanotec Australia PO Box 850, Park Ridge, QLD Australia 4125